Journal of Orthopaedic Trauma
Vol. 15, No. 8, pp. 595–607
© 2001 Lippincott Williams & Wilkins, Inc., Philadelphia

Journal of Orthopaedic Trauma
Volume 15, 2001

Issue	Text Pages
1	1–80
2	81–150
3	151–228
4	229–310
5	311–380
6	381–460
7	461–534
8	535–607

AUTHOR INDEX

Abidi, NA, 513, 555
Acaroğlu, ER, 294
Adams, CI, 394
Agel, J, 86
Aharonoff, GB, 34
Aksenov, SA, 18
Alain, J, 401
Alanay, A, 294
Allan, CH, 326
An, K-N, 107
Anglen, JO, 424
Applegate, B, 415
Arazi, M, 135, 578
Arora, A, 143
Ashraf, T, 367
Augat, P, 54

Bai, B, 101
Bailey, CS, 542
Barton, RN, 321
Bartoníček, J, 358
Bastian, L, 153
Beaver, RL, 140
Beck, M, 488
Beharry, R, 312
Bellabarba, C, 90, 161, 254, 264
Benez, C, 401
Benjamin, J, 5
Berger, U, 415
Biga, N, 401
Blauth, M, 153
Blum, J, 342
Bolesta, MJ, 566
Bolhofner, BR, 254
Bono, PL, 566
Borrelli, J, 264
Bosse, MJ, 526
Bourgeault, CA, 333
Brindle, TJ, 369
Broos, PLO, 438
Brown, GA, 433
Brown, OL, 271
Buckley, R, 275
Buckley, RE, 280
Burd, TA, 424
Burgar, AM, 570

Cahill, D, 566
Carmack, DB, 247
Carro, LP, 524
Carter, D, 197
Carter, DR, 216
Carter, VS, 28
Casey, D, 207
Chaldecott, LR, 384
Charpentier, P, 535
Chen, FS, 81
Choi, M-S, 445
Chow, SP, 350
Chrin, AM, 566
Claes, L, 54, 407
Clague, JE, 321
Clark, JM, 326
Collinge, C, 304
Cordes, S, 494
Cordey, J, 482
Coupe, KJ, 140
Court-Brown, CM, 394
Creevy, W, 119, 146

Datta, DK, 96
Davila, J, 574
Davis, RT, 369
Day, D, 424
Day, SM, 47
de Lange, S, 61
de Ridder, VA, 61
DeHeer, DH, 47
Deland, JT, 500
Dennis, MG, 177
Deshpande, S, 373
Deuster, PA, 181
Dhammi, IK, 143
Di Cesare, PE, 177
Dickson, KF, 519
DiPasquale, T, 90, 161
Dirschl, DR, 271
Dora, C, 488
Dujardin, FH, 401
Duplechain, M, 583

Ebramzadeh, E, 111
Egiseder, WA, Jr, 549
Eid, K, 468
Eijer, H, 475
Ellis, T, 333
ElMaraghy, AW, 186
ElMaraghy, MW, 186
Emami, A, 560
Ertel, W, 468
Evanoff, B, 90, 161
Evans, NJ, 216
Evans, S, 153

Fankhauser, C, 482
Fernacola, P, 326
Ferrick, MR, 338
Ferro, GV, 132
Firoozbakhsh, K, 433
Frenk, A, 482
Frigon, VA, 519

Gaebler, C, 415
Gahr, R, 342
Gänsslen, A, 229
Ganz, R, 475, 488
Garcia, JG, 524
Gasser, B, 482
Gelalis, ID, 28
Geller, DS, 500
Georgiadis, GM, 570
Gorczyca, JT, 222, 369
Grabowski, CM, 69
Grass, R, 192
Greenbaum, B, 111
Greenfield, MLVH, 338
Greitbauer, M, 415
Grigsby, JH, 526
Gullahorn, LJ, 338

Han, DY, 361
Harada, T, 450
Harding, SP, 238
Hartford, JM, 222, 369
Hayden, JD, 572
Heatley, FW, 61
Helfet, DL, 500
Hellquist, E, 560
Hendricks, KJ, 424
Henley, MB, 461
Hernán-Prado, MA, 73
Hernigou, P, 535
Herscovici, D, 90, 146, 161
Hiebert, R, 81
Higashi, K, 299
Hirasawa, Y, 77
Hofstetter, R, 122
Honda, Y, 225
Horan, MA, 321
Hou, S-M, 40
Hungerbühler, R, 192
Hupel, TM, 18

Ip, WY, 350
Iraqi, AA, 367
Ishikawa, SN, 555
Ito, K, 192
Itoman, M, 299

Jain, AK, 143
Janzing, H, 342
Janzing, HMJ, 438
Jeray, KJ, 526
Jones, CB, 238
Jones, DEC, 326

Kallina, C, IV, 442
Kamano, M, 225
Karges, DE, 304
Kaylor, KL, 247
Kazuki, K, 225
Keel, M, 468
Kellam, JF, 526
Kim, J-Y, 445
Kim, W-Y, 445
King, GJW, 542
Kirsch, LB, 146
Kitaoka, HB, 107
Kloen, P, 384
Knop, C, 153
Koomen, AR, 61
Koval, KJ, 34, 81, 101, 177
Krettek, C, 122, 153, 229
Kummer, FJ, 101, 177
Kura, H, 107
Kuramochi, T, 375
Kurosaka, M, 450
Kutlu, A, 135
Kyle, RF, 333

Lai, JL, 429
Langendorff, HS, 342
Laplaza, FJ, 73
Larsson, S, 560
Laule, A, 407
Lautenschlager, EP, 494
Lee, J, 28
Lehmann, U, 229
Leunig, M, 488
Lewis, R, 90
Lin, J, 40
Loder, RT, 338
Longino, D, 280
Lorio, MP, 583
Lowry, KJ, 424
Luo, Z-P, 107

MacDermid, J, 542
Mack, GR, 181
Magnusson, M, 326
Malkani, A, 574
Mallmin, H, 560
Mann, TA, 10
Marshall, MP, 96
Marti, A, 482
Marti, RK, 384
Mathews, PV, 580
Matsubara, N, 450
Mayr, E, 407
McClellan, RT, 197
McConnell, T, 207, 447
McKee, MD, 312
McNair, P, 86
McQueen, MM, 394
Merk, BR, 494
Merk, J, 54
Messing, KL, 216
Meyer, NJ, 137
Miron, SD, 170
Mirza, SK, 238
Mitani, M, 450
Miyano, J, 326
Mizuno, K, 450
Mochida, J, 363
Moorcroft, CI, 507
Morgan, SJ, 526
Moulton, MJR, 10
Muldoon, MP, 181
Murray, PC, 580
Myers, SR, 475

Nishikawa, T, 450
Nnene, CO, 66
Noguchi, M, 77
Nolte, L-P, 122
Nork, SE, 238
Nousiainen, M, 186

O'Boyle, M, 264
O'Doherty, D, 373
O'Malley, MJ, 500
Obremskey, WT, 271
Ogrodnik, PJ, 507
Oğün, TC, 578
Ohtsuka, H, 299
Orton, D, 137
Osada, D, 375
Ostrum, R, 588
Ott, S, 326
Otte, D, 287
Oxborrow, NJ, 572
Özdemir, M, 578

Padgett, DE, 181
Paiso, JM, 574
Pape, H-C, 229
Park, HW, 361
Park, SJ, 361
Patterson, BM, 170
Patterson, SD, 542
Peljovich, AE, 170
Perry, JJ, 580
Phieffer, LS, 526
Platz, A, 468
Polle, G, 401
Ponzer, S, 210
Poon, TL, 350
Poser, RD, 197
Prayson, MJ, 96
Probe, R, 442
Prokuski, LJ, 549

Raskas, DS, 338
Rechtine, GR, 566

Reid, JS, 10
Reindel, ES, 197
Ricci, WM, 90, 161, 254, 264
Richards, RR, 186
Richter, M, 287
Roberts, JB, 301
Robinson, CM, 394
Rommens, PM, 342
Rose, JG, 321
Rosen, JE, 81
Rothenfluh, D, 488
Routt, MLC, Jr, 238
Rubel, IF, 132, 429
Rüter, A, 407
Ryu, J-D, 445

Sala, DA, 101
Sancineto, CF, 132
Sanders, R, 90, 161, 264, 311, 381
Saotome, K, 375
Şarlak, A, 578
Sati, M, 122
Schandelmaier, P, 415
Schauwecker, HH, 415
Scheel, MJ, 513
Schemitsch, EH, 18, 186, 312
Schmidt, AH, 69
Schneeberger, AG, 350
Schratt, H-E, 287
Schwab, JP, 137
Schwappach, J, 86
Scott, CC, 216
Seligson, D, 132, 151, 429
Shah, MR, 34
Sharkey, PF, 555
Shean, CJ, 28
Shepherd, LE, 28
Simon, JA, 177
Skoog, A, 210
Slomczykowski, MA, 122
Smutz, WP, 107
Söderqvist, A, 210
Sontich, JK, 170
Spiegel, P, 32
Stern, SH, 494
Stevens, DG, 312
Suarez, GG, 524
Suger, G, 407
Summa, CD, 433
Suzuki, K, 363
Sweet, DE, 181
Swiontkowski, MF, 86
Szalay, MDY, 301

Takai, S, 77
Taliwal, RV, 555
Tamai, K, 375
Templeman, DC, 69
Templeton, PA, 572
Tencer, A, 326
Thermann, H, 287
Thomas, PBM, 507
Thomine, JM, 401
Tilzey, J, 207
Tokish, JT, 5
Tonegawa, M, 299
Tornetta, P, 588
Tornetta, P, III, 119, 207, 447, 453
Törnkvist, H, 210
Trafton, PG, 588
Trentz, O, 468
Trumble, T, 326
Tscherne, H, 287
Tufescu, TV, 275

van Griensven, M, 229
Van Slyke, MA, 10
Vécsei, V, 415
Verborg, S, 507
Vives, MJ, 555
von Glinski, S, 229
Voor, MJ, 429

Waddell, JP, 312
Wahl, D, 192
Walter, F, 5
Wang, M, 429
Weinberg, JA, 18
Welch, M, 86
Westrich, GH, 500
Wilber, JH, 170
Williams, DJ, 66
Wippermann, B, 287
Wolf, S, 54
Wolinsky, P, 34
Wolinsky, PR, 101
Wynn-Jones, H, 572

Yamamura, S, 77
Yang, K-H, 361
Yaszemski, MJ, 247
Yerby, S, 216
Yetkinler, DN, 197
Yian, EH, 338
Yokoyama, K, 299
Yoshino, N, 77
Yue, DN, 170
Yue, JJ, 170

Zionts, LE, 111
Ziran, BH, 513
Zuckerman, JD, 34
Zych, G, 415

SUBJECT INDEX

Abdominal injury
Accompanying injuries in severe pelvic trauma (abstract), 150
Accident, car
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
Acetabular fracture
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Intraarticular entrapment of the obturator nerve in acetabular fracture (case report), 361
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Acetabular fracture/dislocation
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods (letter), 591
Acromial fracture, displaced
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Administrative data, management
Minding the store: practice management metrics for physician managers (editorial), 461
Adolescents
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Age
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Outcome after hip fracture in individuals ninety years of age and older, 34
Alignment
Accompanying injuries in severe pelvic trauma (abstract), 533, 534
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Fractures of the proximal third of the tibial shaft treated with intramedullary nails and blocking screws, 264
Alignment, joint
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101
Allergic reaction
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Allograft strut
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Anatomy, tibial fracture
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Angular malalignment
Angular malalignment after intramedullary nailing of the femoral shaft (letter), 533, 534
Angular stability
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Animal bite, venomous
Crotalid envenomation: the southern Arizona experience, 5
Animal models
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Ankle, fracture
Ankle fracture: case profile, 304
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
Injuries of the inferior tibiofibular joint (abstract), 149
Lag screw only fixation of the lateral malleolus, 119
Marginal plafond impaction in association with supination-adduction ankle fractures: a report of eight cases (case report), 447
Trimalleolar ankle fracture, 588
Ankle, fracture-dislocation
Compartment syndrome after Bosworth fracture-dislocation of the ankle: a case report (case report), 301
Antegrade nailing
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Anterior approach
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Anticoagulants, oral
Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors, 535
AO femoral nail
Stabilization of metastatic lesions of the proximal femur with the AO solid femoral nail (letter), 307
AO screws
A fatigue life analysis of small fragment screws, 494
AO type C3 fractures
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Arm, fracture
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
Arterial injury
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Arthritis, posttraumatic
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Arthrodesis, midcarpal
Operative treatment of advanced carpal collapse (abstract), 149
Arthroscopic debridement
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222
Articular congruity
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a

tibia fracture with weight bearing after internal fixation, 326
Articular step-off
Effect of articular step-off and meniscectomy on join alignment and contact pressures for fractures of the lateral tibial plateau, 101
Attitudes
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Avulsion
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137

Bending
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Bent nail
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Bicortical pins
Cortex distraction forces caused by the insertion of external fixator pins, 507
Bicortical screws
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Bioabsorbable materials
In vitro elution of tobramycin from bioabsorbable polycaprolactone beads, 424
Bioabsorbable pins
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Biomechanics
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
A fatigue life analysis of small fragment screws, 494
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
Blocking screws
Fractures of the proximal third of the tibial shaft treated with intramedullary nails and blocking screws, 264
Blood flow
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Blunt trauma
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229
Böhler's angle
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Bone cement
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Bone density
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
Bone disease, metabolic
Femoral neck stress fractures and metabolic bone disease, 181
Bone formation
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Bone graft
Anterior iliac crest bone graft harvesting using the corticocancellous reamer system, 500
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Bone healing
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Bone loss
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Bone mineral density
Femoral neck stress fractures and metabolic bone disease, 181
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Bosworth fracture-dislocation
Compartment syndrome after Bosworth fracture-dislocation of the ankle: a case report (case report), 301
Bowel herniation
Bowel herniation after traumatic symphysis pubis diastasis (case report), 445

C-arm
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
C-clamps
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Calcaneal fracture, intraarticular
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Calcium phosphate bone cement
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Calibration
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Callus distraction
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Carpal collapse
Operative treatment of advanced carpal collapse (abstract), 149
Carpal tunnel syndrome
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450
Carpometacarpal joints, dislocations
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Cartilage
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Cartilage, lesions
Anterior femoroacetabular impingement after femoral neck fractures, 475
Cement fixation
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Cerclage
Results of operatively treated lateral clavicle fractures (abstract), 149
Cerebral infarction
Paradoxical fat embolism after intramedullary rodding: a case report (case report), 442
Children, fractures
Open fractures of the forearm in children, 111
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Children, polytrauma
Factors predictive of immobilization complications in pediatric polytrauma, 338
Clavicle fracture
Results of operatively treated lateral clavicle fractures (abstract), 149
Closed reduction
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, F1
Collar and cuff sling
Collar and cuff sling (Welwyn sling): a modified use of the collar and cuff in stabilizing the injured shoulder, 66
Compartment syndrome
Compartment syndrome after Bosworth fracture-dislocation of the ankle: a case report (case report), 301
Compartment syndrome of the well leg as a result of the hemilithotomy position: a report of two cases and review of literature (case report), J1
Dermatotraction: an effective technique for the closure of fasciotomy wounds: a preliminary report of fifteen patients, 438
Compartment syndrome, noncontact
Acute noncontact compartment syndrome (letter), 378
Complications
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583
Stress fracture of the ulna associated with crutch use (case report), 524
Complications, fixation
Entry point soft tissue damage in antegrade femoral nailing: a cadaver study, 488
Technique for removal of broken interlocking screws, 132
Complications, immobilization
Factors predictive of immobilization complications in pediatric polytrauma, 338
Complications, neurovascular
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Complications, postoperative
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Compression plates
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Computer-assisted surgery
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Contact pressure
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101

Cortex distraction forces
Cortex distraction forces caused by the insertion of external fixator pins, 507
Cortical porosity
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Cortical screws
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Cortices
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Corticocancellous reamer system
Anterior iliac crest bone graft harvesting using the corticocancellous reamer system, 500
Cortisol kinetics
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Crotalid envenomation
Crotalid envenomation: the southern Arizona experience, 5
Crutches
Stress fracture of the ulna associated with crutch use (case report), 524
Cuneometatarsal ligaments
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Cutting flute design
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216

DASH questionnaire
Operative treatment of advanced carpal collapse (abstract), 149
Debridement
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222
Deep venous thrombosis
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Delayed union
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Deltoid, ossification
Antegrade intramedullary nailing of the humerus complicated by heterotopic ossification of the deltoid: a case report (case report), 69
Demographics
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Dermatofasciotomy
Compartment syndrome, 438
Dermatotraction
Dermatotraction: an effective technique for the closure of fasciotomy wounds: a preliminary report of fifteen patients, 438
Diagnostics, pelvic injury
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Diaphyseal fractures
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Diaphysis, nonunion
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Dietary intervention
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Dislocation, acetabular
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Dislocation, ankle
Compartment syndrome after Bosworth fracture-dislocation of the ankle: a case report (case report), 301
Dislocation, carpometacarpal
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Dislocation, femoral head
Anterior femoroacetabular impingement after femoral neck fractures, 475
Dislocation, hip
Bilateral anterior and posterior traumatic hip dislocation (case report), 367
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137
Dislocation, metacarpal
Isolated dislocation of the second metacarpal at both ends (case report), 143
Dislocation, palmar lunate transscaphoid
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222
Dislocation, radial head
Results of acute excision of the radial head in elbow radial head fracture-dislocations (letter), 308
Dislocation, tarsal navicular
Bilateral isolated tarsal navicular fracture dislocation: a case report (case report), 77
Dislocation, transverse
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Dislocation, type I Monteggia
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Displaced fracture, acromial
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Displaced fractures, intraarticular calcaneal
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Distal locking fixation
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Distraction force
Cortex distraction forces caused by the insertion of external fixator pins, 507
Drill guide
Easily removed drill guide for pin insertion during external fixation, 135
Dual-energy x-ray absorptiometry
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Dynamic screws
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394

Elbow, fracture-dislocation
Results of acute excision of the radial head in elbow radial head fracture-dislocations (letter), 308
Elderly, hip fracture
Outcome after hip fracture in individuals ninety years of age and older, 34
Elderly, nonunions
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Elderly, women
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Endosteal substitution
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Envenomation
Crotalid envenomation: the southern Arizona experience, 5
Epiphyseal fracture, distal radial
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Epiphysiolisis
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
External fixation
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Easily removed drill guide for pin insertion during external fixation, 135
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
External fixation, pelvic
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
External fixation, techniques
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
External fixator
Cortex distraction forces caused by the insertion of external fixator pins, 507

Falls, fracture
Intraarticular distal radius fracture, 453
Fasciotomy wounds, closure
Dermatotraction: an effective technique for the closure of fasciotomy wounds: a preliminary report of fifteen patients, 438
Fat embolism
Paradoxical fat embolism after intramedullary rodding: a case report (case report), 442
Fatigue life analysis
A fatigue life analysis of small fragment screws, 494
Fee collection
Minding the store: practice management metrics for physician managers (editorial), 461
Femoral circumflex artery, medial
Entry point soft tissue damage in antegrade femoral nailing: a cadaver study, 488
Femoral head, blood flow
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Femoral head, dislocation
Anterior femoroacetabular impingement after femoral neck fractures, 475
Femoral nail, bent
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Femoral nail, distal locking
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Femoral nail, retrograde
Potential of increased risk of neurovascular injury using proximal interlocking screws of retro-

grade femoral nails in patients with acetabular fractures, 433
Femoral nailing, antegrade
Entry point soft tissue damage in antegrade femoral nailing: a cadaver study, 488
Femoral nailing, intramedullary
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Femoral nailing, retrograde
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Femoral neck fracture
Anterior femoroacetabular impingement after femoral neck fractures, 475
Femoral neck stress fractures and metabolic bone disease, 181
Pauwels' classification of femoral neck fractures: correct interpretation of the original, 358
Femoral shaft, fractures
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures, 28
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Femoral shaft, nailing
Angular malalignment after intramedullary nailing of the femoral shaft (letter), 533, 534
Femoral shaft, nonunion
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Femoris artery, injury
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Femoroacetabular impingement, anterior
Anterior femoroacetabular impingement after femoral neck fractures, 475
Femur, fixation
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Femur, fractures
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Compartment syndrome of the well leg as a result of the hemilithotomy position: a report of two cases and review of literature (case report), 580
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Femur, intramedullary nailing
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures, 28
Femur, metastatic lesions
Stabilization of metastatic lesions of the proximal femur with the AO solid femoral nail (letter), 307
Femur, nailing
Stabilization of metastatic lesions of the proximal femur with the AO solid femoral nail (letter), 307
Femur, nonunion
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Fibula, fracture
Lag screw only fixation of the lateral malleolus, 119
Finger, fracture-dislocations
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Fixation
Lag screw only fixation of the lateral malleolus, 119
Lag screw only fixation of the lateral malleolus (letter), 593, 594
Fixation, complications
Technique for removal of broken interlocking screws, 132
Fixation, distal locking
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Fixation, dynamic
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Fixation, external
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Easily removed drill guide for pin insertion during external fixation, 135
Soft tissue injuries with the use of safe corridors for traasfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Fixation, failure
Technique for removal of broken interlocking screws, 132
Fixation, internal
Ankle fracture: case profile, 304
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Improved intramedullary nail interlocking in osteoporotic bone, 192
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
The long-term functional outcome of operatively treated tibial plateau fractures, 312
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Proximal humerus fracture, 146
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Fixation, intramedullary
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Fixation, mono- and bicortical
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Fixation, outcomes
Outcome of plate fixation of olecranon fractures, 542
Fixation, percutaneous
Percutaneous stabilization of U-shaped sacral fractures using iliosacral screws: technique and early results, 238
Fixation, plate
Ankle fracture: case profile, 304
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Fixation, techniques
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Fixation wires
Safe placement of proximal tibial transfixion wires with respect to intracapsular penetration, 10
Flexion injury, palmar
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222
Flexor tendon excursion
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583
Fluoroscopy, computer-assisted
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Foot, biomechanics
Mechanical behavior of the Lisfranc and dorsal

cuneometatarsal ligaments: in vitro biomechanical study, 107
Foot, fractures
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
Forearm, fractures
Open fractures of the forearm in children, 111
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Fracture-dislocation
Compartment syndrome after Bosworth fracture-dislocation of the ankle: a case report (case report), 301
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Fracture-dislocation, acetabular
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Fracture-dislocation, carpometacarpal
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Fracture-dislocation, palmar lunate transscaphoid
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222
Fracture-dislocation, radial head
Results of acute excision of the radial head in elbow radial head fracture-dislocations (letter), 308
Fracture-dislocation, tarsal navicular
Bilateral isolated tarsal navicular fracture dislocation: a case report (case report), 77
Fracture registry
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210
Fractures, acetabular
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Intraarticular entrapment of the obturator nerve in acetabular fracture (case report), 361
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Fractures, acromial
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Fractures, ankle
Ankle fracture: case profile, 304
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
Injuries of the inferior tibiofibular joint (abstract), 149
Lag screw only fixation of the lateral malleolus, 119
Marginal plafond impaction in association with supination-adduction ankle fractures: a report of eight cases (case report), 447
Fractures, AO type C3
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Fractures, bipolar
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Fractures, classification
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
Pauwels' classification of femoral neck fractures: correct interpretation of the original, 358
Fractures, clavicle
Results of operatively treated lateral clavicle fractures (abstract), 149
Fractures, closed
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Fractures, diaphyseal
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Fractures, epiphyseal
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Fractures, femoral neck
Anterior femoroacetabular impingement after femoral neck fractures, 475
Femoral neck stress fractures and metabolic bone disease, 181
Pauwels' classification of femoral neck fractures: correct interpretation of the original, 358
Fractures, femoral shaft
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Fractures, femur
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Compartment syndrome of the well leg as a result of the hemilithotomy position: a report of two cases and review of literature (case report), 580
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures, 28
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Fractures, fibula
Lag screw only fixation of the lateral malleolus, 119
Fractures, fixation
Cortex distraction forces caused by the insertion of external fixator pins, 507
Improved intramedullary nail interlocking in osteoporotic bone, 192
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Technique for removal of broken interlocking screws, 132
Fractures, foot
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
Fractures, forearm
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Fractures, healing
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Fractures, hip
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study, 81
Outcome after hip fracture in individuals ninety years of age and older, 34
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors, 535
Fractures, humerus
Proximal humerus fracture, 146
Fractures, in vitro model
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Fractures, intraarticular
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Fractures, intraarticular calcaneal
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Fractures, malalignment
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Fractures, management
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Fractures, multilevel
Four-level noncontiguous fracture of the vertebral column: a case report (case report), 294
Fractures, nailing
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342
Fractures, noncontiguous
Four-level noncontiguous fracture of the vertebral column: a case report (case report), 294
Fractures, nonunion
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Fractures, olecranon
Outcome of plate fixation of olecranon fractures, 542
Fractures, open
One-stage treatment of open tibial fracture in a child using a distally based sural artery flap: a case report (case report), 11

Open fractures of the forearm in children, 111
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415

Fractures, palmar lunate transscaphoid
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222

Fractures, pelvic
Accompanying injuries in severe pelvic trauma (abstract), 150
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526

Fractures, pilon
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153

Fractures, polytrauma
Factors predictive of immobilization complications in pediatric polytrauma, 338

Fractures, radial
Intraarticular distal radius fracture, 453
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450

Fractures, repair
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197

Fractures, sacral
Percutaneous stabilization of U-shaped sacral fractures using iliosacral screws: technique and early results, 238

Fractures, scaphoid
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73

Fractures, segmental tibial
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18

Fractures, stress
Stress fracture of the ulna associated with crutch use (case report), 524

Fractures, talar body
Medial malleolar osteotomy for exposure of complex talar body fractures, 513

Fractures, tibia
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326

Fractures, tibial
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207
Unreamed locked tight-fitting nailing for acute tibial fractures, 40

Fractures, tibial plafond
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Surgical options for the treatment of severe tibial pilon fractures: A story of three techniques (letter), 591

Fractures, tibial plateau
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101
The long-term functional outcome of operatively treated tibial plateau fractures, 312

Fractures, tibial shaft
Fractures of the proximal third of the tibial shaft treated with intramedullary nails and blocking screws, 264
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210

Fractures, upper extremity
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149

Fractures, wrist
Operative treatment of advanced carpal collapse (abstract), 149

Functional outcome
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
SF-36 scores as functional outcome measure (letter), 594

Functional outcome, long-term
The long-term functional outcome of operatively treated tibial plateau fractures, 312

Gamma nail
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394

Gender
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275

Graft harvesting
Anterior iliac crest bone graft harvesting using the corticocancellous reamer system, 500

Hardware removal
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271

Head trauma
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229

Heel, bone loss
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560

Hemilithotomy position
Compartment syndrome of the well leg as a result of the hemilithotomy position: a report of two cases and review of literature (case report), 580

Hemorrhage, control
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468

Herniated bowel
Bowel herniation after traumatic symphysis pubis diastasis (case report), 445

Heterotopic ossification
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583

Hip, bone loss
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560

Hip, dislocation
Bilateral anterior and posterior traumatic hip dislocation (case report), 367
Blood flow changes to the femoral head after acetabular fracture or dislocation in the acute injury and perioperative periods, 170
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137

Hip, fractures
Cortisol kinetics in elderly women with persistently high cortisol concentrations after proximal femur fracture, 321
Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study, 81
Outcome after hip fracture in individuals ninety years of age and older, 34
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors, 535

Hip screws, dynamic
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394

Histomorphometry
Femoral neck stress fractures and metabolic bone disease, 181

Humeral shaft, medullary nailing
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342

Humerus, intramedullary nailing
Antegrade intramedullary nailing of the humerus complicated by heterotopic ossification of the deltoid: a case report (case report), 69

Humerus, proximal fracture
Proximal humerus fracture, 146

Iliac crest bone graft
Anterior iliac crest bone graft harvesting using the corticocancellous reamer system, 500

Iliosacral screws
Percutaneous stabilization of U-shaped sacral fractures using iliosacral screws: technique and early results, 238

Ilium, avulsion
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137

Image-guided navigation
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122

Immobilization complications
Factors predictive of immobilization complications in pediatric polytrauma, 338
Factors predictive of immobilization complications in pediatric polytrauma (letter), 592

Implant failure
Technique for removal of broken interlocking screws, 132

Infection
In vitro elution of tobramycin from bioabsorbable polycaprolactone beads, 424

Postoperative wound infection after instrumentation of thoracic and lumbar fractures, 566
Injury, pelvic
Accompanying injuries in severe pelvic trauma (abstract), 150
Injury, tibiofibular
Injuries of the inferior tibiofibular joint (abstract), 149
Injury mechanism
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
In memoriam
Howard Rosen: February 17, 1925-June 17, 2000, 1
Insertion torque
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Instrumentation
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Interlocking screws, complications
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Interlocking screws, failure
Technique for removal of broken interlocking screws, 132
Internal fixation
Ankle fracture: case profile, 304
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Improved intramedullary nail interlocking in osteoporotic bone, 192
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
The long-term functional outcome of operatively treated tibial plateau fractures, 312
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Proximal humerus fracture, 146
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Internal fixation, open reduction
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Internal fixation, techniques
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Intertrochanteric fracture, femur
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Intertrochanteric osteotomy
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Intraarticular entrapment
Intraarticular entrapment of the obturator nerve in acetabular fracture (case report), 361
Intraarticular fractures
Intraarticular distal radius fracture, 453
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Intramedullary fixation, reamed
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Intramedullary nailing
Angular malalignment after intramedullary nailing of the femoral shaft (letter), 533, 534
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Fractures of the proximal third of the tibial shaft treated with intramedullary nails and blocking screws, 264
Improved intramedullary nail interlocking in osteoporotic bone, 192
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures, 28
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Intramedullary nailing, antegrade
Antegrade intramedullary nailing of the humerus complicated by heterotopic ossification of the deltoid: a case report (case report), 69
Intramedullary nailing, failure
Technique for removal of broken interlocking screws, 132
Intramedullary nailing, injury
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Intramedullary nailing, malalignment
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Intramedullary nailing, removal
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Intramedullary nailing, retrograde
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Intramedullary nailing, techniques
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Intramedullary rod
Paradoxical fat embolism after intramedullary rodding: a case report (case report), 442
Intraoperative guidance systems
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Ipsilateral injuries
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Joint alignment
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101
Joint congruity
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Joint instability
Injuries of the inferior tibiofibular joint (abstract), 149
Joint surface change
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326

Kirschner wires
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207
Knee, fixation
Safe placement of proximal tibial transfixion wires with respect to intracapsular penetration, 10
Knee, penetrating injury
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222

Labrum lesion
Anterior femoroacetabular impingement after femoral neck fractures, 475
Laceration, flexor tendon
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583
Lactate levels
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Lag screws
Lag screw only fixation of the lateral malleolus, 119
Lag screw only fixation of the lateral malleolus (letter), 593, 594
Ligaments, foot
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Lisfranc ligament
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Locked nailing, unreamed
Unreamed locked tight-fitting nailing for acute tibial fractures, 40
Locking screw
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Long bone fracture, healing
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Long-term ventilation
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229
Lunate dislocation
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222

Malalignment
Angular malalignment after intramedullary nailing of femoral shaft fractures, 90
Angular malalignment after intramedullary nailing of the femoral shaft (letter), 533, 534
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247

Malleolar fractures
Ankle fracture: case profile, 304
Malleolar osteotomy, medial
Medial malleolar osteotomy for exposure of complex talar body fractures, 513
Malleolus, fixation
Lag screw only fixation of the lateral malleolus, 119
Lag screw only fixation of the lateral malleolus (letter), 593, 594
Malnutrition, protein
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Malrotation
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
Malunion, pelvic
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Management metrics
Minding the store: practice management metrics for physician managers (editorial), 461
Manuscript submission process
Reviewed by your peers (editorial), 381
Marginal impaction
Marginal plafond impaction in association with supination-adduction ankle fractures: a report of eight cases (case report), 447
Medical costs
Minding the store: practice management metrics for physician managers (editorial), 461
Medullary humeral nail
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342
Megaprosthesis
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Meniscectomy
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101
Metabolic bone disease
Femoral neck stress fractures and metabolic bone disease, 181
Metacarpal, dislocation
Isolated dislocation of the second metacarpal at both ends (case report), 143
Metal fragment removal
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222
Metal sensitivity
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Metastatic lesions
Stabilization of metastatic lesions of the proximal femur with the AO solid femoral nail (letter), 307
Mini-invasive nailing
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Minimally invasive techniques
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Monteggia injury
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Mortality
Outcome after hip fracture in individuals ninety years of age and older, 34
Multicenter analysis
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Multiple injury, pelvic
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468

Nailing, antegrade femoral
Entry point soft tissue damage in antegrade femoral nailing: a cadaver study, 488
Nailing, intramedullary
Angular malalignment after intramedullary nailing of the femoral shaft (letter), 533, 534
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Nailing, unreamed
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Nailing techniques
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Navigation system
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Nerve entrapment
Intraarticular entrapment of the obturator nerve in acetabular fracture (case report), 361
Nerve injury
Accompanying injuries in severe pelvic trauma (abstract), 150
Neurovascular injury
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Nonunion
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Technique for removal of broken interlocking screws, 132
Nylon cerclage bands
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61

Obturator nerve, entrapment
Intraarticular entrapment of the obturator nerve in acetabular fracture (case report), 361
Ogden construct
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Olecranon fractures
Outcome of plate fixation of olecranon fractures, B1
Open fractures
Open fractures of the forearm in children, 111
Open reduction
Ankle fracture: case profile, 304
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Proximal humerus fracture, 146
Oral anticoagulants
Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors, 535
Orthopaedic injuries, allergic reaction
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Orthopaedic Trauma Association meeting
AIOD Meeting: observations and musings, 151
Ossification, heterotopic
Antegrade intramedullary nailing of the humerus complicated by heterotopic ossification of the deltoid: a case report (case report), 69
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583
Osteoporotic bone
Improved intramedullary nail interlocking in osteoporotic bone, 192
Osteosynthesis
Factors predictive of immobilization complications in pediatric polytrauma, 338
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Results of operatively treated lateral clavicle fractures (abstract), 149
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Osteotomy
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
Medial malleolar osteotomy for exposure of complex talar body fractures, 513
Outcomes
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Outcome after hip fracture in individuals ninety years of age and older, 34
Outcome of plate fixation of olecranon fractures, 542
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Statistical correctness (letter), 455

Outcomes, long-term
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
The long-term functional outcome of operatively treated tibial plateau fractures, 312
Outcomes, measures
SF-36 scores as functional outcome measure (letter), 594

Pain, hardware-related
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
Pain relief
Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study, 81
Palmar flexion injury
Palmar lunate transscaphoid fracture-dislocation caused by palmar flexion injury (case report), 222
Paralytic ileus
Bowel herniation after traumatic symphysis pubis diastasis (case report), 445
Partridge cerclage system
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Pauwels' classification
Pauwels' classification of femoral neck fractures: correct interpretation of the original, 358
Pediatrics, fixation
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Pediatrics, fractures
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Open fractures of the forearm in children, 111
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Pediatrics, surgical techniques
One-stage treatment of open tibial fracture in a child using a distally based sural artery flap: a case report (case report), 11
Pediatrics, trauma
Factors predictive of immobilization complications in pediatric polytrauma, 338
Factors predictive of immobilization complications in pediatric polytrauma (letter), 592
Peer reviews
Reviewed by your peers (editorial), 381
Pelvic fractures, malunion
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Pelvic fractures, management
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Pelvic packing
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Pelvic ring disruption
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Pelvis, avulsion
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137
Pelvis, trauma
Accompanying injuries in severe pelvic trauma (abstract), 150
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Penetrating injury
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222
Percutaneous stabilization
Percutaneous stabilization of U-shaped sacral fractures using iliosacral screws: technique and early results, 238
Periprosthetic fracture
Fixation of periprosthetic femoral shaft fractures: a biomechanical comparison of two techniques, 177
Physician attitudes
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Physician managers
Minding the store: practice management metrics for physician managers (editorial), 461
Pilon fracture
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Pins, failure
Early pin failure following external femoral fracture fixation in a head-injured child (case report), 572
Pins, insertion
Cortex distraction forces caused by the insertion of external fixator pins, 507
Easily removed drill guide for pin insertion during external fixation, 135
Plafond impaction
Marginal plafond impaction in association with supination-adduction ankle fractures: a report of eight cases (case report), 447
Plate fixation
Ankle fracture: case profile, 304
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Outcome of plate fixation of olecranon fractures, 542
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Plate strain
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Plates
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Poly-L-lactide rods
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Polycaprolactone beads
In vitro elution of tobramycin from bioabsorbable polycaprolactone beads, 424
Polytrauma
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Factors predictive of immobilization complications in pediatric polytrauma, 338
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Postoperative complications
Technique for removing a bent intramedullary femoral nail: a case report (case report), 299
Postoperative wound infection after instrumentation of thoracic and lumbar fractures, 566
Practice management metrics
Minding the store: practice management metrics for physician managers (editorial), 461
Prevention
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
Prospective cohort study
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Prosthesis, distal femoral
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Prosthetics, fractures
Partridge osteosynthesis: a prospective clinical study on the use of nylon cerclage bands and plates in the treatment of periprosthetic femoral shaft fractures, 61
Protein malnutrition
Reversal of the detrimental effects of chronic protein malnutrition on long bone fracture healing, 47
Pullout strength
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
Pulmonary embolism
Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors, 535

Quality of life
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210

Radial head excision
Results of acute excision of the radial head in elbow radial head fracture-dislocations (letter), 308
Radiography
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Radioulnar joint subluxation
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450
Radius, epiphyseal fracture
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Radius, epiphyseal injury
Type I Monteggia fracture dislocation associated with ipsilateral distal radial epiphyseal injury (case report), 373
Radius, fractures
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Intraarticular distal radius fracture, 453
Open fractures of the forearm in children, 111
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450

Radius epiphysiolisis
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Randomized trials
Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study, 81
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Prospective randomized controlled trial of an intramedullary nail versus dynamic screw and plate for intertrochanteric fractures of the femur, 394
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Statistical correctness (letter), 455, 456
Reamed intramedullary fixation
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures, 28
Reamed intramedullary nails
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Reamed techniques
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Reamer, corticocancellous
Anterior iliac crest bone graft harvesting using the corticocancellous reamer system, 500
Reaming
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Paradoxical fat embolism after intramedullary rodding: a case report (case report), 442
Reduction
Proximal humerus fracture, 146
Results of indirect reduction and plating of femoral shaft nonunions after intramedullary nailing, 254
Reduction, closed
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Reduction, loss
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Reduction, open
Ankle fracture: case profile, 304
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Concurrent dorsal dislocations and fracture-dislocations of the index, long, ring, and small (second to fifth) carpometacarpal joints, 549
Incidence of hardware-related pain and its effect on functional outcomes after open reduction and internal fixation of ankle fractures, 271
Open reduction and plate fixation of displaced AO type C3 fractures of the distal radius: restoration of articular congruity in eighteen cases, 350
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Open reduction internal fixation of a pelvic malunion through an anterior approach (case report), 519
Regeneration maturation
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Retrograde intramedullary nailing
Potential of increased risk of neurovascular injury using proximal interlocking screws of retrograde femoral nails in patients with acetabular fractures, 433
Retrograde nailing
Clinical performance of a new medullary humeral nail: antegrade versus retrograde insertion, 342
Retrograde versus antegrade nailing of femoral shaft fractures, 161
Sacral fractures, stabilization
Percutaneous stabilization of U-shaped sacral fractures using iliosacral screws: technique and early results, 238
Sacrum, fracture
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Safe zone
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207
Scaphoid fractures
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Screws
A fatigue life analysis of small fragment screws, 494
Screws, design
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Screws, failure
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Screws, position
Screw position affects dynamic compression plate strain in an in vitro fracture model, 333
Self-reinforced rods
Pullout strengths of self-reinforced poly-L-lactide (SR-PLLA) rods versus Kirschner wires in bovine femur, 429
SF-36 health survey
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275
SF-36 scores as functional outcome measure (letter), 594
Sheep model
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Shock, hemorrhagic
Control of severe hemorrhage using C-clamp and pelvic packing in multiply injured patients with pelvic ring disruption, 468
Shoulder, stabilized
Collar and cuff sling (Welwyn sling): a modified use of the collar and cuff in stabilizing the injured shoulder, 66
Shoulder trauma
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Shoulder trauma, support
Collar and cuff sling (Welwyn sling): a modified use of the collar and cuff in stabilizing the injured shoulder, 66
Skin testing
Cutaneous metal sensitivity in patients with orthopaedic injuries, 86
Skin traction
Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study, 81
SLAC wrist
Operative treatment of advanced carpal collapse (abstract), 149
Slings, collar and cuff
Collar and cuff sling (Welwyn sling): a modified use of the collar and cuff in stabilizing the injured shoulder, 66
Small-diameter nails
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
SNAC wrist
Operative treatment of advanced carpal collapse (abstract), 149
Snakebite
Crotalid envenomation: the southern Arizona experience, 5
Soft tissue injury
Entry point soft tissue damage in antegrade femoral nailing: a cadaver study, 488
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Spinal fracture, noncontiguous
Four-level noncontiguous fracture of the vertebral column: a case report (case report), 294
Spinal fracture-dislocation
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Spine, iliac
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137
Stabilization
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Stabilization of metastatic lesions of the proximal femur with the AO solid femoral nail (letter), 307
Static nail
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Statistics
Statistical correctness (letter), 455
Stress fracture
Stress fracture of the ulna associated with crutch use (case report), 524
Stress fractures
Femoral neck stress fractures and metabolic bone disease, 181
Structural stiffness
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
Supination-adduction fracture
Marginal plafond impaction in association with supination-adduction ankle fractures: a report of eight cases (case report), 447
Supracondylar femur fracture
Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures, 482
Mechanical comparison of endosteal substitution and lateral plate fixation in supracondylar fractures of the femur, 96
Supracondylar distal femoral nonunions treated with a megaprosthesis in elderly patients: a report of two cases (case report), 574
Sural artery flap
One-stage treatment of open tibial fracture in a child using a distally based sural artery flap: a case report (case report), 11
Surgeons, attitudes
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Surgery
Four-level noncontiguous fracture of the vertebral column: a case report (case report), 294
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363

Operative treatment of advanced carpal collapse (abstract), 149
Surgery, computer-assisted
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122
Surgery, grafting
Bone graft in the operative treatment of displaced intraarticular calcaneal fractures: is it helpful?, 280
Surgery, outcome
The long-term functional outcome of operatively treated tibial plateau fractures, 312
Results of operatively treated lateral clavicle fractures (abstract), 149
Surgery, techniques
Dermatotraction: an effective technique for the closure of fasciotomy wounds: a preliminary report of fifteen patients, 438
Medial malleolar osteotomy for exposure of complex talar body fractures, 513
One-stage treatment of open tibial fracture in a child using a distally based sural artery flap: a case report (case report), 11
Percutaneous skeletal joysticks for closed reduction of femoral shaft fractures during intramedullary nailing, 570
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Surgical options for the treatment of severe tibial pilon fractures: A story of three techniques (letter), 591
Surgical dislocation
Anterior femoroacetabular impingement after femoral neck fractures, 475
Symphysis pubis diastasis, traumatic
Bowel herniation after traumatic symphysis pubis diastasis (case report), 445
Syndesmosis
Injuries of the inferior tibiofibular joint (abstract), 149
Syndesmotic screw
Injuries of the inferior tibiofibular joint (abstract), 149
Synovectomy
Late arthroscopic debridement of metal fragments and synovectomy after penetrating knee joint injury by low-velocity missile: a report of two cases (case report), 222

Talar body, fractures
Medial malleolar osteotomy for exposure of complex talar body fractures, 513
Tarsal bone, biomechanics
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Tarsal navicular fracture dislocation
Bilateral isolated tarsal navicular fracture dislocation: a case report (case report), 77
Tarsometatarsal joint ligaments, biomechanics
Mechanical behavior of the Lisfranc and dorsal cuneometatarsal ligaments: in vitro biomechanical study, 107
Tendon injury, flexor
Limitation of flexor tendon excursion by heterotopic ossification after isolated flexor tendon laceration (case report), 583
Tensile strains, cyclic
Mechanical stimulation by external application of cyclic tensile strains does not effectively enhance bone healing, 54
Tibia, fixation
Safe placement of proximal tibial transfixion wires with respect to intracapsular penetration, 10
Tibia, fractures
Effect of unreamed, limited reamed, and standard reamed intramedullary nailing on cortical bone porosity and new bone formation, 18
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
The long-term functional outcome of operatively treated tibial plateau fractures, 312
One-stage treatment of open tibial fracture in a child using a distally based sural artery flap: a case report (case report), 11
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Structural stiffness and reducibility of external fixators placed in malalignment and malrotation, 247
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207
Unreamed locked tight-fitting nailing for acute tibial fractures, 40
Tibia, nonunion
Technique for removal of broken interlocking screws, 132
Tibial nail
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207
Tibial plafond fracture
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Tibial plateau, fractures
Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture, 197
Effect of articular step-off and meniscectomy on joint alignment and contact pressures for fractures of the lateral tibial plateau, 101
Tibial shaft, fractures
Fractures of the proximal third of the tibial shaft treated with intramedullary nails and blocking screws, 264
One-year outcome after tibial shaft fractures: results of a prospective fracture registry, 210
Tibiofibular joint, injury
Injuries of the inferior tibiofibular joint (abstract), 149
Tight-fitting nailing
Unreamed locked tight-fitting nailing for acute tibial fractures, 40
Tobramycin
In vitro elution of tobramycin from bioabsorbable polycaprolactone beads, 424
Torque
Effect of cutting flute design on cortical bone screw insertion torque and pullout strength, 216
Torsion
Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures, 186
Trace minerals
Femoral neck stress fractures and metabolic bone disease, 181
Transfixion
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555
Transverse fracture-dislocation
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363
Trauma
Bowel herniation after traumatic symphysis pubis diastasis (case report), 445
Intertrochanteric osteotomy for posttraumatic arthritis after acetabular fractures, 384
Intraarticular distal radius fracture, 453
In vitro elution of tobramycin from bioabsorbable polycaprolactone beads, 424
Trauma, blunt multiple
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229
Trauma, head
Heterotopic ossifications in patients after severe blunt trauma with and without head trauma: incidence and patterns of distribution, 229
Trauma, pelvic
Accompanying injuries in severe pelvic trauma (abstract), 150
Bilateral anterior and posterior traumatic hip dislocation (case report), 367
Trauma, shoulder
Open reduction internal fixation after displacement of a previously nondisplaced acromial fracture in a multiply injured patient: case report and review of literature (case report), 369
Trauma, spinal
Traumatic unilateral avulsion of the anterior superior and inferior iliac spines with anterior dislocation of the hip: a case report (case report), 137
Trauma surgeons
Attitudes of orthopaedic trauma surgeons regarding current controversies in the management of pelvic and acetabular fractures, 526
Treatment techniques
Surgical options for the treatment of severe tibial pilon fractures: a study of three techniques, 153
Trochanteric fractures
Prospective randomized comparison between a dynamic hip screw and a mini-invasive static nail in fractures of the trochanteric area: preliminary results, 401
Two-dimensional image registration
Novel computer-assisted fluoroscopy system for intraoperative guidance: feasibility study for distal locking of femoral nails, 122

Ulna, fractures
Open fractures of the forearm in children, 111
Stress fracture of the ulna associated with crutch use (case report), 524
Three epiphyseal fractures (distal radius and ulna and proximal radius) and a diaphyseal ulnar fracture in a seven-year-old child's forearm (case report), 375
Ulnar bursa distention
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450
Ultrasonography
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
Ultrasonography, pulsed low-intensity
Radiographic results of callus distraction aided by pulsed low-intensity ultrasound, 407
Unreamed techniques
Prospective randomized study of reamed versus unreamed femoral intramedullary nailing: an assessment of procedures (letter), 458
Rates and odds ratios for complications in closed and open tibial fractures treated with unreamed, small diameter tibial nails: a multicenter analysis of 467 cases, 415
Unreamed locked tight-fitting nailing for acute tibial fractures, 40
Upper extremity fracture
Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149
Urogenital injury
Accompanying injuries in severe pelvic trauma (abstract), 150

Vascular injury
Accompanying injuries in severe pelvic trauma (abstract), 150
Arterial injury during retrograde femoral nailing: a case report of injury to a branch of the profunda femoris artery (case report), 140
Vehicle accident
Foot fractures in restrained front seat car occupants: a long-term study over twenty-three years, 287

Fractures of the upper extremity in restrained front seat occupants - injury type and -frequency in dependence on the accident mechanism (abstract), 149

Vertebral fracture, noncontiguous
Four-level noncontiguous fracture of the vertebral column: a case report (case report), 294

Vertebral fracture-dislocation
Operative treatment of a transverse fracture-dislocation at the S1-S2 level (case report), 363

Volar subluxation
Ulnar bursa distention following volar subluxation of the distal radioulnar joint after distal radial fracture: a rare cause of carpal tunnel syndrome (case report), 450

Weight bearing
Limited bone loss in the hip and heel after reamed intramedullary fixation and early weight-bearing of tibial fractures, 560
A preliminary study of joint surface changes after an intraarticular fracture: a sheep model of a tibia fracture with weight bearing after internal fixation, 326

Wires, placement
Safe placement of proximal tibial transfixion wires with respect to intracapsular penetration, 10
Tibial portal placement: the radiographic correlate of the anatomic safe zone, 207

Wires, transfixion
Soft tissue injuries with the use of safe corridors for transfixion wire placement during external fixation of distal tibia fractures: an anatomic study, 555

Work capability
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275

Worker's compensation
Age, gender, work capability, and worker's compensation in patients with displaced intraarticular calcaneal fractures, 275

Wound closure, techniques
Dermatotraction: an effective technique for the closure of fasciotomy wounds: a preliminary report of fifteen patients, 438

Wrist, fractures
Distal radius epiphysiolisis associated with scaphoid fractures in immature patients: report of two cases and review of the literature (case report), 73
Intraarticular distal radius fracture, 453
Operative treatment of advanced carpal collapse (abstract), 149

STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685) 1. Publication Title: JOURNAL OF ORTHOPAEDIC TRAUMA. 2. Publication no.: 0890-5339. 3. Filing date: 10-01-01. 4. Frequency of issue: Eight times a year. 5. No. of issues published annually: 8. 6. Annual subscription price: $ 231.00. 7. Complete mailing address of known office of publication: Lippincott Williams & Wilkins, 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116. 8. Complete mailing address of the headquarters of general business offices of the publisher: 530 Walnut Street, Philadelphia, PA 19106. 9. Full names and complete mailing address of publisher, editor, and managing editor: Publisher: Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor: Roy W. Sanders, MD, 4 Columbia Drive, Suite 710 Tampa, FL 33606. Managing Editor: Susan Deitch, Lippincott Williams & Wilkins, 530 Walnut Street, Philadelphia, PA 19106. 10. Owner: Lippincott Williams & Wilkins, 530 Walnut Street, Philadelphia, PA 19106; 351 West Camden Street, Baltimore MD 21201; Wolters Kluwer, US, 345 Hudson Street, New York, NY 10014; Wolters Kluwer, nv (owns 100% of stock), Stadouderskade 1, 1054 FS Amsterdam, The Netherlands. 11. Known bondholders, mortgagees, and other security holders owning or holding 1% or more of total amount of bonds, mortgages, or other securities: None. 12. Purpose, function, and nonprofit status: Has not changed during preceding 12 months. 13. Publication Name JOURNAL OF ORTHOPAEDIC TRAUMA. 14. Issue Date for circulation data: Volume 15, Issue 6. 15. Extent and nature of circulation: Average number of copies each issue during preceding 12 months: (a) Total No. copies (Net Press Run), 3,337. (b) Paid and/or requested circulation N/A. (1) Paid/requested outside-county mail subscriptions stated on form 3541. (Include advertiser's proof and exchange copies), 1,621. (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A. (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, 697. (4) Other classes mailed through the USPS, N/A. (c) Total paid and/or requested circulation (sum of 15b (1), (2), (3), and (4), 2,271. (d) Free distribution by mail (samples, complimentary, and other free). (1) Outside-county as stated on form 3541, 151. (2) In country as stated on form 3541, N/A. (3) Other classes mailed through the USPS, N/A. (e) Free distribution outside the mail (carriers or other means), 117. (f) Total free distribution (sum of 15d and 15e), 268. (g) Total distribution (Sum of 15c and 15f), 2,539. (h) Copies not distributed, 798. (i) Total (sum of 15g and h), 3,337. (j) Percent paid and/or requested circulation (15c divided by 15g times 100). 89.44%. No. copies of single issue published nearest to filing date: (a) Total no. copies (Net Press Run), 3,200. (b) Paid and/or requested circulation. (1) Paid/requested outside-county mail subscriptions stated on form 3541, (Include advertiser's proof and exchange copies), 1,592. (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A. (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, 680. (4) Other classes mailed through the USPS, N/A. (c) Total paid and/or requested circulation (sum of 15b. (1), (2), (3), and (4), 2,271. (d) Free distribution by mail (samples, complimentary, and other free), (1) Outside-county as stated on form 3541, 69. (2) In-county as stated on form 3541, N/A. (3) Other classes mailed through the USPS, N/A. (e) Free distribution outside the mail (carriers or other means), 28. (f) Total free distribution (sum of 15d and 15e), 97. (g) Total distribution (Sum of 15c and 15f), 2,368. (h) Copies not distributed, 832. (i) Total (sum of 15g and h), 3,200. (j) Percent paid and/or requested circulation (15c divided by 15g × 100), 95 90%. 16. This Statement of Ownership will be printed in Volume 15, Issue 8 of this publication. 17. I certify that the statements made by me above are correct and complete. Jeffrey Brown, Manager, Periodical Operations